

MEN'S GUIDE TO CANCER SCREENING

Being healthy means taking care of yourself—even if you don't feel sick. This card has important information on tests you should have to stay healthy.



PROSTATE CANCER

Experts disagree on prostate cancer screening at this time. You should talk to your doctor about what is right for you. Men who have a family history of prostate cancer should let their doctor know about that history.

Digital Rectal Examination: This test lets your doctor check for growths or swelling of the prostate gland. Your doctor will gently insert a gloved and lubricated finger into your rectum to check for problems.

Age: 50 years old and over **How Often:** Every year

Prostate-specific antigen (PSA): This test is used to measure the level of PSA in the blood. A high number could be an early sign of cancer. Other things can cause high PSA levels too. Talk to your doctor about whether this blood test is right for you.

Age: 50 years old and over **How Often:** Every year

COLORECTAL CANCER

Colonoscopy: A special tube with a camera on the end is used to **see your entire colon**. This test can find and remove small growths (known as polyps) which may become cancer over time.

Age: 50-75 years old **How Often:** Every 10 years

Flexible Sigmoidoscopy: A special tube with a camera on the end is used to **see a part of your colon**. Because this test doesn't look at the entire colon, polyps may be missed.

Age: 50-75 years old **How Often:** Every 5 years

Fecal Occult Blood Test (FOBT): This test looks for blood in your stool and can be done at home using a special kit. A stool sample should be collected for **three days in a row** using the materials from the kit. The kit should then be mailed to the laboratory. Your doctor may have you get a colonoscopy if blood is found in your stool. Some foods and medicines can affect this test.

Age: 50-75 years old **How Often:** Every year

Fecal Immunochemical test (FIT): This test looks for blood in your stool and can be done at home using a special kit. **Two stool samples in a row** should be collected using the materials provided in the kit. The kit should then be mailed to the laboratory. Your doctor may have you get a colonoscopy if blood is found in your stool. Some foods and medicines can affect this test.

Age: 50-75 years old **How Often:** Every year



GETSCREENEDSD
Stop Colorectal Cancer.

1-800-738-2301
www.getscreenedsd.org

Many thanks to the Washington, DC Comprehensive Cancer Program for allowing us to replicate their materials.

